


Suggested Minimum Retail Prices (July 2026)

Power Conditioners			SRP
POWERMASTER			
Flagship Model. 12 outputs. DC Blocker, Distribution bars - silvered OFC 90 QMM, Multipoint PCB terminals, Ground noise filtering system			
			
	with LS-2 EVO cable		25 900 €
PC-4 EVO+ ver.'24			
Reference Model. 12 outputs. DC Blocker. Distribution bars - silvered OFC 45 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-2 EVO cable		15 400 €
	with LS-1 EVO+ cable		14 100 €
	with PowerSync ULTRA cable		13 100 €
PC-3 SE EVO+			
6 outputs. DC Blocker. Distribution bars - silvered OFC 30 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-2 EVO cable		11 300 €
	with LS-1 EVO+ cable		9 950 €
	with PowerSync ULTRA cable		8 950 €
	with LC-2 EVO cable		8 300 €
PC-3 EVO+			
6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-1 EVO+ cable		8 300 €
	with PowerSync ULTRA cable		7 300 €
	with LC-2 EVO cable		6 750 €
	with PowerSync PLUS cable		6 550 €
PC-2 EVO+			
6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - OFHC 2,5 QMM.			
	with LS-1 EVO+ cable		6 950 €
	with PowerSync ULTRA cable		5 950 €
	with LC-2 EVO cable		5 350 €
	with PowerSync PLUS cable		5 200 €
POWERCONTROL			
12 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RLC Filtering Block. 16A Relay			
	with LS-1 EVO+ cable		8 500 €
	with PowerSync ULTRA cable		7 600 €
	with LC-2 EVO cable		7 100 €
	with PowerSync PLUS cable		6 950 €
POWERPRIME			
6 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RLC Filtering Block. 16A Relay			
	with PowerSync ULTRA cable		4 200 €
	with LC-2 EVO cable		3 650 €
	with PowerSync PLUS cable		3 500 €

Power Strips				
PF-2 SE EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - Silvered OFC 30 QMM. Internal wiring - Silvered OFHC 4 QMM. Advanced RLC filtering block. Iron Powder Filtering Cores. LED indicators of proper work and polarization. Graphite -Gray colour.				
		with LS-1 EVO+ cable	3 900 €	
		with PowerSync ULTRA cable	3 000 €	
PF-2 EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring - GigaWatt Powerlink OFHC 4 QMM. Advanced RLC filtering block. Iron Powder Filtering Cores. LED indicators of proper work and polarization.				
		with PowerSync ULTRA cable	2 350 €	
		with LC-2 EVO cable	1 750 €	
		with PowerSync PLUS cable	1 600 €	
		with PowerSync cable	1 440 €	
PF-1 EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring - OFHC 4 QMM. Iron Powder Filtering Cores. LED.				
		with LC-2 EVO cable	1 080 €	
		with PowerSync PLUS cable	900 €	
		with PowerSync cable	790 €	
PF-1e				
6 outputs. Metal Shielded Chassis. Internal wiring - OFHC 2,5 QMM. Iron Powder Filtering Cores.				
		with PowerSync PLUS cable	790 €	
		with PowerSync cable	690 €	
		without cable	450 €	
Power Cords				
LS-2 EVO				
	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. SE version Loss-free Nano-crystal Alloys Passive Filter. G-050 SM/G-070 SM Metal Body, Rhodium Plated Plugs.		1,5 m	3 800 €
			next 0,5 m	1 300 €
LS-1 EVO+				
	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. Loss-free Nano-crystal Alloys Passive Filter. G-015/G-035 Metal Body, Rhodium Plated Plugs.		1,5 m	2 350 €
			next 0,5 m	760 €
PowerSync ULTRA				
	8x 1,6 QMM. OFHC multistrand (7 leads) conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-050SM/G-070SM Metal Body, Rhodium Plated Plugs.		1,5 m	1 250 €
			next 0,5 m	230 €
LC-2 EVO				
	7 x 1,5 QMM. OFHC solid-core conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Rhodium Plated Plugs.		1,5 m	595 €
			1,0 m	560 €
			next 0,5 m	100 €

PowerSync PLUS			
	3x 2,5 QMM. OFHC multistrand (12 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs.	1,5 m	415 €
		1 m	365 €
		next 0,5 m	70 €
PowerSync			
	3x 2.0 QMM. OFHC multistrand (10 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs.	1,5 m	280 €
		1 m	255 €
		next 0,5 m	49 €

Accessories			
	G-040 SCHUKO for Assembly		37 €
	G-044 SCHUKO Wall Socket		140 €
	G-044 Duplex SCHUKO Wall Socket		220 €
	IEC320-C5 / IEC320-C7 Plug Adapter		35 €
	LC-Y EVO 3x4 In-Wall Cable (1 meter)		39 €
	PowerSync Power Supply cable (1 meter)		49 €
	G-16A Installation Circuit Breaker		190 €
	G-16A 2P 2-Pole Installation Circuit Breaker		395 €
	Rolling-Ball Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box		750 €
	Rolling-Ball Full Ceramic Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box		1 250 €
Options			
	Customized LED display color		90 €
	Rolling-Ball Isolation System Anti-Vibration Feet for PC conditioners		590 €